

INVITATION TO BID

November 15, 2024

The Pike County Commission is seeking bids for five or more 2025 full size Sport Utility Vehicle PPV in the color black.

Bids will be received in the office of the Pike County Administrator located on the second floor of the Pike County Health Department (900 South Franklin Drive) until 10:00 AM on Thursday December 5, 2024. Bids may be hand delivered or mailed as follows:

Pike County Commission
PO Box 1147
900 S. Franklin Dr.
Troy, AL 36081
Attn.: McKenzie Wilson

Please mark your envelope: Sheriff's Vehicle Bid

In submitting your bid, please provide a quote based upon the following attached specifications/options.

Attachment 1

PIKE COUNTY COMMISSION
Sheriff's Vehicle Bid
BID SHEET

BID OPENING DATE: December 5, 2024 10AM

I HEREBY SUBMIT THE FOLLOWING BID FOR 5 OR MORE 2025 FULL-SIZE SPORT UTILITY VEHICLE PPV IN THE COLOR BLACK AT THE PIKE COUNTY HEALTH DEPARTMENT. AS REQUIRED BY THE INVITATION TO BID, THE FOLLOWING INFORMATION IS INCLUDED:

THE FOLLOWING BID IS SUBMITTED: Please note which specification attachment you are bidding on. Copies of this sheet can be made for bids on multiple specification attachments.

Full-Size Sport Utility Vehicle PPV Make _____ Model _____
Year _____ \$ _____ EACH

Estimated delivery date: _____

BY: _____
NAME OF COMPANY

AUTHORIZED REPRESENTATIVE: _____

TITLE: _____

SIGNATURE: _____

PHONE: _____ FAX: _____
E-MAIL: _____

If you have any questions, please call McKenzie Wilson at (334) 566-6374. The attached bid specifications will apply and serve as the contract document for 2025 full size Sport Utility Vehicle PPV.

By: _____
McKenzie Wilson
County Administrator

VEHICLE: FIVE OR MORE 2025 2WD PPV 4DR SPORT UTILITY VEHICLES

COLOR: BLACK

___Seat belts, 3-point, all seating positions (Included and only available with (9C1) Police Vehicle.)

___Capless Fuel Fill (Included and only available with (9C1) Police Vehicle.)

___Protected idle allows vehicle engine to remain idling and vehicle immobilized while FOB is outside vehicle (Included and only available (9C1) Police Vehicle.)

___Instrumentation, analog with certified 140 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer (Included and only available with (9C1) Police Vehicle.)

___Exterior ornamentation delete (front & rear Chevrolet bowties will remain) (Included and only available with (9C1) Police Vehicle.)

___Power supply, 100-amp, auxiliary battery, rear electrical center (Included and only available with (9C1) Police Vehicle.)

___Power supply, 120-amp, (4) 30-amp circuit, Primary battery relay controlled, passenger compartment harness wiring (Included and only available with (9C1) Police Vehicle.)

___Power supply, 50-amp, power supply, auxiliary battery passenger compartment wiring harness (Included and only available with (9C1) Police Vehicle.)

___Theft-deterrent system, vehicle, PASS-Key III (Included and only available with (9C1) Police Vehicle.)

1FL Commercial Preferred Equipment Group includes standard equipment

5J3 Calibration, Surveillance Mode interior lighting (Included and only available with (9C1) Police Vehicle.)

5J9 Calibration, taillamp flasher, Red/White (Included and only available with (9C1) Police Vehicle.) Inc.

5LO Calibration, taillamp flasher, Red/Red (Included and only available with (9C1) Police Vehicle.) Inc.

5Y1 Front center seat (20% seat) delete power driver and passenger bucket seats in base cloth trim.

Derived from RPO (AZ3) 40/20/40 split-bench seat with the 20% section removed, which also

removes the auxiliary power outlet, USB port and input jack for audio system. Does not include a floor console. All exposed floor area will remain untrimmed. (Requires (9C1) Police Vehicle. Also requires (BG9) Black rubberized vinyl floor covering. Not available with (A50) front bucket seats or (B30) color-keyed carpeting floor covering.)

6C7 Lighting, red and white front auxiliary dome Red and white LED auxiliary dome lamp is located on headliner between front row seats. The auxiliary lamp is wired independently from standard dome lamp (Requires (9C1) Police Vehicle.)

6J3 Wiring, grille lamps and siren speakers (Requires (9C1) Police Vehicle.)

6J4 Wiring, horn and siren circuit (Requires (9C1) Police Vehicle.)

6J7 Flasher system, headlamp and taillamp, DRL compatible with control wire (Included and only available with (9C1) Police Vehicle.)

6N5 Switches, rear window inoperative (rear windows can only operate from driver's position.) (Requires (9C1) Police Vehicle.)

6N6 Door locks and handles, inside rear doors inoperative (door can only be opened from outside) (Requires (9C1) Police Vehicle.)

9C1 Identifier for Police Package Vehicle includes, (K47) heavy-duty air filter, (KX4) 250 amp high output alternator, (K6K) 760 cold-cranking amps auxiliary battery, electrical power & vehicle signals for customer connection located at the center front floor. Auxiliary battery circuit for customer connection located in the rear cargo area, (Z56) heavy-duty, police-rated suspension, (XCS) 275/55R20SL all-season tires, (RAV) 275/55R20 all-season spare tire, Police brakes, (RC1) front skid plate, (PXT) 20" steel wheels, Certified speedometer, SEO (5J3) Surveillance

Mode interior lighting calibration, SEO (UT7) blunt cut cargo area and blunt cut console area ground wires, (V53) delete luggage rack side rails, (ATD) third row seat delete, (NP0) active single-speed transfer case (4WD only)

ATD Seat delete, third row passenger *CREDIT* Inc.

AX2 Key, unique Included and only available with (9C1) Police Vehicle.) Inc.

AZ3 Seats, front 40/20/40 split-bench (STD)

BCV Lock control, driver side auto door lock disable (Included and only available with (9C1) Police Vehicle.) Inc.

C6C GVWR, 7400 lbs. (3357 kg) (2WD model only.) (STD)

FE9 Emissions, Federal requirements

GAZ Summit White

GU5 Rear axle, 3.23 ratio

H1T Jet Black, Cloth seat trim (Requires (9C1) Police Vehicle.)

IOR Audio system, 8" diagonal HD color touchscreen AM/FM stereo,

Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)

J55 Brake system, heavy duty with front Brembo calipers and 16" front rotors (Included and only available with (9C1) Police Vehicle.) Inc.

K3W Battery, 850 cold-cranking amps with 95 amp hour rating (Included and only available with (9C1) Police Vehicle.) Inc.

K6K Battery, auxiliary, 760 cold-cranking amps with 70 amp hour rating (packaged behind left rear cargo area panel) (Included and only available with (9C1) Police Vehicle.) Inc.

KX4 Alternator, 250 amps (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.) Inc.

L84 Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable ValveTiming, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)

MHU Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (Included and only available with (9C1) Police Vehicle.) Inc.

PXT Wheels, 20" x 9" (50.8 cm x 22.9 cm) steel (Included and only available with (9C1) Police Vehicle.) Inc.

RAV Tire, spare 275/55R20 all-season, blackwall, Firestone Firehawk Pursuit (Included and only available with (9C1) Police Vehicle.) Inc.

RC1 Skid plate, front (Included and only available with (9C1) Police Vehicle.) Inc.

RNQ Wheel, full-size spare, matching 20" (50.8 cm) steel wheel without center cap (Included and only available with (9C1) Police Vehicle.) Inc.

T66 Wiring provision, for outside mirrors and cargo side mirrors (Included and only available with (9C1) Police Vehicle.) Inc.

UT7 Ground wires, blunt cut cargo area and blunt cut console area (Included and only available with (9C1) Police Vehicle.)Inc.

V03 Cooling system, extra capacity (Included and only available with (9C1) Police Vehicle or (NHT) Max Trailering Package. Not included when (LM2) Duramax 3.0L Turbo-Diesel I6 engine is ordered.) Inc.

V53 Luggage rack side rails, delete (Included with (9C1) Police Vehicle.) *CREDIT* Inc

Engine, 5.3L EcoTec3 V8 with Dynamic Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm) (STD)

Transmission, 10-speed automatic electronically controlled with overdrive, includes Traction Select System including tow/haul (STD)

Rear axle, 3.23 ratio

Suspension Package, Premium Smooth Ride (STD)

GVWR, 7400 lbs. (3357 kg) (2WD model only.) (STD)

Keyless start, push button

Automatic Stop/Start

Engine control, stop/start system disable button, non-latching

Engine air filtration monitor

Fuel, gasoline, E15

Differential, mechanical limited-slip

Rear wheel drive

Air filter, heavy-duty

Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator

Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil

Battery, 730 cold-cranking amps with 80 amp hour rating

Alternator, 220 amps

Trailer equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way connector and 2" trailering receiver

Trailer sway control

Hitch Guidance

Suspension, front coil-over-shock with stabilizer bar

Suspension, rear multi-link with coil springs

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Exhaust, single system, single-outlet

Mechanical Jack with tools

Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) Bright Silver painted aluminum (STD)

Tires, 265/65R18SL all-season, blackwall (Standard with (PZX) 18" Bright Silver painted aluminum wheels only.) (STD)

Wheel, full-size spare, 17" (43.2 cm)

Tire, spare P265/70R17 all-season, blackwall

Tire carrier, lockable outside spare, winch-type mounted under frame at rear

Active aero shutters, upper

Fascia, front

Luggage rack side rails, roof-mounted, Black, standard (Available with (5W4) Special Services Vehicle.)

Assist steps, Black with chrome accent strip

Headlamps, LED

Lamps, stop and tail, LED

Mirrors, outside heated power-adjustable, manual-folding, body-color

Mirror caps, body-color

Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side

glass)

Glass, acoustic, laminated

Glass, windshield shade band

Windshield, solar absorbing

Wipers, front intermittent, Rainsense

Wiper, rear intermittent with washer

Door handles, body-color

Liftgate, rear manual

Seats, front 40/20/40 split-bench (Not available with (D07) center floor console and (USR) USB data ports.) (STD)

Seat trim, cloth

Seat adjusters, 8-way power includes 6-way power front passenger seat with 2-way power lumbar

Seat adjusters, 10-way power includes 8-way power driver seat with 2-way power lumbar

Seats, second row 60/40 split-folding bench, manual

Seats, third row 60/40 split-folding bench, manual (Not available with (9C1) Police Vehicle.)

Floor covering, Black rubberized vinyl (Deleted when (B30) floor covering is ordered.)

Electronic Precision Shift

Steering column lock, electrical

Steering column, manual tilt and telescopic

Steering wheel, urethane

Steering wheel controls, mounted audio, Driver Information Center, cruise control and Forward Collision Alert following gap button (if equipped) (left backside Seek/Scan steering wheel radio buttons are inoperable; these 2 buttons can be repurposed for aftermarket emergency equipment)

Driver Information Center, 4.2" diagonal color display includes driver personalization

Rear Seat Reminder

Door locks, power programmable with lockout protection and delayed locking (When ordered with (9C1) Police

Vehicle or (5W4) Special Service Vehicle, Auto Lockout is disabled on driver door.)

Keyless Open includes extended range Remote Keyless Entry

Cruise control, electronic with set and resume speed

Theft-deterrent system, content, electrical, unauthorized entry

USB data ports, 4 total; 2, one-type-A and one type-C located within center console and 2, one type-A and one type-C located on instrument panel

USB charging-only ports, 4 type-C, (2) located on rear of center console and (2) in 3rd row (1 left and 1 right side below quarter glass side window) (When ordered with (9C1) Police Vehicle, (2) type-C ports are moved to the rear of center seat base and (2) type-C are moved to the cargo area. Deleted when (A50) front bucket seats are ordered.)

Window, power with driver Express-Up/Down

Window, power with front passenger Express-Up/Down

Windows, power with rear Express-Down

Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants

Air conditioning, rear

Defogger, rear-window electric

Power outlets, 2, 120-volt, located on the rear of the center seat and rear cargo area

Power outlet, front auxiliary, 12-volt, located in the center stack of instrument panel

Mirror, inside rearview manual day/night

Visors, driver and front passenger illuminated vanity mirrors, sliding

Assist handles, overhead, driver and front passenger, located in headliner

Assist handles, front passenger A-pillar and second row outboard B-pillar (Deleted when SEO (7X2) left- and right-hand spotlamps or SEO (7X3) left-hand spotlamp are ordered.)

Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights,

door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. On Police/Special Service vehicles, the control switch is located in the roof console in lieu of the driver- and passenger-side door switch with delayed entry feature.

Cargo management system

Automatic Emergency Braking

Hill Start Assist

StabiliTrak, stability control system with brake assist, includes traction control

Daytime Running Lamps, reduced intensity low beam

Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for all rows in outboard seating positions (Deleted when (A50) front bucket seats are ordered. Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint.

Front and Rear Park Assist

Following Distance Indicator (Deleted when (9C1) Police Vehicle is ordered.)

HD Rear Vision Camera

Front Pedestrian Braking (Deleted when (9C1) Police Vehicle is ordered.)

Lane Keep Assist with Lane Departure Warning (Deleted when (9C1) Police Vehicle is ordered.)

Forward Collision Alert (Deleted when (9C1) Police Vehicle is ordered.)

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings or Teen Driver menu (When ordered with (9C1) Police Vehicle, defaulted off. Feature can be turned on in the Infotainment menu.)

Door locks, rear child security, manual

LATCH system (Lower Anchors and Tethers for Children), for child restraint seats lower anchors and top tethers located in all second-row seating positions (Deleted when (ATZ) second row seat delete is ordered.)

Tire Pressure Monitoring System auto learn, includes Tire Fill Alert (does not apply to spare tire)

Warning tones headlamp on, driver and right-front passenger seat belt unfasten and turn signal on

WARRANTY

Basic Years: 3

Basic Miles/km: 36,000

Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

and qualified fleet vehicles: 5 years/100,000 miles

Maintenance Note: First Visit: 12 Months/12,000 Miles